according to Regulation (EC) No. 1907/2006



Product number: S5122 Product name: D-Xylulose (min. 99%)

1. Identification of the substance/preparation and of the company

Product identifier

Product Name: D-Xylulose (min. 99%)

Catalogue-No.: S5122 CAS Number: 551-84-8

EC Number:

REACH Registration Number: A registration number is not available for this substance as the substance or its uses are exempted

from registration, the annual tonnage does not require a registration or the registration is envisaged for a later

registration deadline.

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance/the preparation

Laboratory chemical Biochemistry

Details of the supplier of the safety data sheet

Manufacturer /Supplier:

Genaxxon bioscience GmbH, Söflinger Str. 70, 89077 Ulm/Germany.

Tel.: +49 (0)731 3608 123, info@genaxxon.com

Further information available from: General Management

Emergency telephone number: +49 (0)731 3608 123 (Monday till Friday: 7:30 - 18:30 o'clock)

NOTE: If this product is a kit or supplied with more than one material, please refer to the MSDS for each component for hazard information.

Product Use:

This products are for laboratory research use only and are not intended for human or animal diagnostics, therapeutics or other clinical uses.

2. Hazardous identification

Classification of the substance/preparation/mixture

Classification according to Regulation (EC) No1272/2008

The substance is not classified according to the CLP regulation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC: Not applicable

Label elements

Labelling according to Regulation (EC) No. 1272/2008:VoidHazard pictograms:VoidSignal word:VoidHazard statement(s):Void

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable **vPvB:** Not applicable

3. Composition/Information on ingredients

Chemical characterization: Substances

CAS-Number Description 551-84-8 D-threo-Pentulose

Identification number(s)

EINECS Number:

4. First Aid Measures

Description of first aid measures

General information: No special measures required.

After inhalation: Supply fresh air, consult a doctor in case of complaints.

After skin contact:

Wash off with plenty of water.

responsible: GF	Replaces version :	Print date : 2014-12-23 - revision date : 2014-12-23
	1 of 6	G:\products\MSDS\carbohydrates\msds_s5122_xylulose_en.docx

according to Regulation (EC) No. 1907/2006



Product number: S5122 Product name: D-Xylulose (min. 99%)

Contd. of page 1

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water.

Seek medical treatment.

After swallowing:

Rinse out mouth and then drink water (not more than 2 glasses).

If symptoms persist consult a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5. Fire-fighting Measures

Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

Special hazards arising from the substance or mixture:

Combustible.

Ambient fire may liberate hazardous vapours.

Advice for fire-fighters: None

Protective equipment:

Wear self-contained respiratory protective device.

No special measures necessary.

Additional information:

Dispose off fire debris and contaminated fire fighting water in accordance with official regulations.

6. Accidental release Measures

Personal precautions, protective equipment and emergency procedure:

Avoid formation of dust.

Do not inhale dust.

Ensure adequate ventilation.

Environmental precautions: No special measures required.

Methods and materials for containment and cleaning up:

Pick up mechanically

Avoid generation of dust.

Clean up affected area

Dispose off the material collected in accordance to regulations.

Reference to other sections:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. Handling and storage

Handling:

Precautions for safe handling:

Provide suction extractors if dust is formed.

No special measures required if used according specifications.

Information about fire – and explosion protection: Normal measures for preventive fire protection.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Keep container tightly sealed.

Further information about storage conditions: Keep container tightly closed.

Recommended storage temperature: 15°C to 25°C.

Storage class: 10-13

Specific end use(s): No further relevant information available.

responsible: GF	Replaces version :	Print date : 2014-12-23 – revision date : 2014-12-23
	2 of 6	G:\products\MSDS\carbohydrates\msds_s5122_xylulose_en.docx

according to Regulation (EC) No. 1907/2006



Product number: S5122 Product name: D-Xylulose (min. 99%)

Contd. of page 2

8. Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters

Ingredients with limit values that require monitoring at the workplace: Not required.

Additional information: The list valid during the making were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin.

Store protective clothing separately.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Immediately remove all soiled and contaminated clothing.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Required when dusts are generated.

Filter P1 (EN 143).



Required when dusts are generated

Protection of hands:



Protective gloves

The glove material has to be impermeable and resist ant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥0.11 mm

Value for permeation: Level: >480 min.

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥0.11 mm

Value for the permeation: Level ≥480 min.

Eye/face protection:



Safety glasses

Body protection:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

9. Physical and chemical properties

Identification on basic physical and chemical properties

responsible: GF	Replaces version :	Print date : 2014-12-23- revision date : 2014-12-23
	3 of 6	G:\products\MSDS\carbohydrates\msds_s5122_xylulose_en.docx

according to Regulation (EC) No. 1907/2006



Product number: S5122 Product name: D-Xylulose (min. 99%)

Contd. of page 3

General Information

Appearance

Form: Solid
Colour: white
Odour: characteristic

Change in conditions

Melting point/Melting range: 146°C
Boiling point/Boiling range: undetermined
Sublimation: 146°C
undetermined
no data available

Flash Point: Not applicable

Flammability (solid, gaseous): Product is not flammable

Danger of explosion: Product does not present an explosion hazard.

Density at 20°C: no data availbale

Bulk density at 20°C: not determined

pH-value at 20°C: 5.0 - 7.0

Solubility in / Miscibility with

water at 20°C easily soluble

Organic solvents: 0.0%

Solvent content:

Organic solvents: 0.0% VOC (EC): 0.00%

Other information: No further relevant data available

10. Stability and Reactivity

Reactivity

Chemical stability:

Thermal decomposition / conditions to be avoided: strong heating

Possibility of hazardous reactions:No dangerous reactions known.

Conditions to avoid:

Hazardous decomposition products:

No further relevant information available.

No dangerous decomposition products known.

11. Toxicological information

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification: Quantitative data on the toxicological effect of this product are not available.

Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. After inhalation: No irritant effect.

Sensitization: No sensitizing effects known.

Additional information:

When used and handled according to specifications the product does not have any harmful effects to our experience and the information provided to us.

The substance is not subject to classification according to the latest version of the EU lists.

12. Ecological Information

Toxicity

Aquatic toxicity: Generally not hazardous for water.

Persistence and degradability: No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential: No further relevant information available.

responsible: GF	Replaces version :	Print date : 2014-12-23- revision date : 2014-12-23
	4 of 6	G:\products\MSDS\carbohydrates\msds_s5122_xylulose_en.docx

according to Regulation (EC) No. 1907/2006



Product number: S5122 | Product name: | D-Xylulose (min. 99%)

Contd. of page 4

Mobility in soil: No further relevant information available.

Additional ecological information:

General notes: None

Results of PBT and vPvB assessment

PBT: Not applicable **vPvB:** Not applicable

Other adverse effects: No further relevant information available.

13. Disposal considerations

Waste treatment methods

Product:

Recommendation: Chemicals must be disposed in compliance with the respective national regulations.

Uncleaned/contaminated packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging that may not be cleansed are to be disposed off in the same manner as the product.

14. Transport information

UN-Number

ADR/RID, ADN, IMDG, IATA: Void

UN proper shipping name

ADR/RID, ADN, IMDG, IATA: Void

Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA:

Class Void

Packaging group

ADR/RID, IMDG, IATA: Void

Environmental hazards:

Marine pollutant: No

Special precautions for user: Not applicable

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information: Not dangerous according to the above specifications.

UN "Model Regulation":

15. Regulatory information

Chemical safety assessment:

Observe the general safety regulations when handling chemicals.

The substance is not subject to classification according to EU lists and other sources of literature known to us.

16. Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Genaxxon bioscience GmbH, shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Disclaime

This product is for R&D use only. Not for drug, household or other uses.

responsible: GF	Replaces version :	Print date : 2014-12-23 – revision date : 2014-12-23
	5 of 6	G:\products\MSDS\carbohydrates\msds_s5122_xylulose_en.docx

according to Regulation (EC) No. 1907/2006



Product number: S5122 Product name: D-Xylulose (min. 99%)

Contd. of page 5

Abbreviations and Acronymes:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ACAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and labeling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

VOC: Volatile Organic Compounds (USA, EU)

CAS: Chemical Abstracts Service (division of the American Chemical Society). EINECS: European Inventory of Existing Commercial Chemical Substances.

responsible: GF	Replaces version :	Print date : 2014-12-23- revision date : 2014-12-23
	6 of 6	G:\products\MSDS\carbohydrates\msds_s5122_xylulose_en.docx